


# Introduction

Advanced Computer Networks  
Summer Semester 2014



# Organizational Information

- [https://wiki.net.informatik.uni-goettingen.de/wiki/Advanced Computer Networks \(Summer 2014\)](https://wiki.net.informatik.uni-goettingen.de/wiki/Advanced_Computer_Networks_(Summer_2014))
- Slides are available online
- Course is held in English
  
- AI: 6 ECTS credits (old + new PO)
- M.Inf.1222.Mp, M.Inf.1223.Mp, M.Inf.221.3C1
  
- ITIS: 5 credits, Module number 3.17

# Organizational Information

- Exam: 2014-07-24
- Either written or oral (depending on number of attendees)
  
- Check the FlexNow registration deadlines

# Course Overview



- This course covers (currently):
  - P2P and Overlay Networks
  - Cloud Computing
  - Content Centric Networking (CCN)
  - Advanced Wireless Communications
  - Social Network Analysis
- Please note that the slides are subject to change. Before the exam, please check again the wiki for updated slides and other info!

# Course Overview

- Session I: Introduction & P2P Networks (Koll)
- II: Cloud Computing I (Koll)
- III: Cloud Computing II (Koll)
- IV: Cloud Computing III (Koll)
- V: Information Centric Networking I (Dr. Arumathurai)
- VI: Information Centric Networking II (Dr. Arumathurai)
- VII: Information Centric Networking III (Dr. Arumathurai)
- VIII: Wireless I (Dr. Sigg)
- IX: Wireless II (Dr. Sigg)
- X: Social Networks I (Prof. Fu)
- XI: Social Networks II (Prof. Fu)


# Course Materials - Basics

- J. Kurose and K. Ross, "Computer Networking: A Top-Down Approach Featuring the Internet" (some slides are based on the book)
- A. S. Tanenbaum, "Computer Networks"
- A recap of the basics:  
[https://wiki.net.informatik.uni-goettingen.de/wiki/Computer\\_Networks\\_\(Winter\\_2013/2014\)](https://wiki.net.informatik.uni-goettingen.de/wiki/Computer_Networks_(Winter_2013/2014))
- Further materials are released on the wiki



# Introduction to P2P Systems

C. Schindelhauer, Peer-to-Peer  
Netzwerke (german)



# Today's lecture will cover...



- **What?**
  - What is a P2P system?
- **Why?**
  - Why do we need P2P systems?
- **How?**
  - How are P2P systems working?



# What is P2P?

# What is a P2P System?


- Peer-to-peer (abbreviated to P2P) refers to a computer network in which each computer in the network can act as a **client or server** for the other computers in the network, allowing shared access to files and peripherals **without the need for a central server** [Wiki]



- The sharing of computer resources by **direct exchange**, rather than requiring the intermediation of a centralized server.

# Features

- Decentralized:
  - No central component
- Role: “all peers are equal”
- Self-organized
  - Highly dynamic behavior of nodes
    - Free to come, free to go
- **Overlay Network**
  - A network built on the top of physical network
  - Nodes are connected by logical links
  - Flat system architecture



# Features (Cont.)

- Large-scale resources
  - Heterogeneous
  - Millions of nodes
- Collaboration
  - Based on voluntary participation
  - Global reach
- Flexible, resilient to attacks, anonymous
- ...


# Why P2P?

# Resource Requirements

- Text, email: 100 KB
- Picture: 1MB
- Music: 10MB
- Movie: 1GB
- HD Video: 10GB+

# Resource Requirements

- 2004: More than half of Internet traffic P2P
- 2010: Still 39%, 2014: ~20%
- Absolute P2P traffic increases (by 100% 2010-2014)



# Developing of Network Bandwidth

- Maximum bandwidth of common Internet access technologies [Wiki]
- Current network bandwidth cannot satisfy user demand
- Need a more efficient way to share resources

56 kbit/s	Modem / Dialup
1.5 Mbit/s	ADSL Lite
1.544 Mbit/s	T1/DS1
10 Mbit/s	Ethernet
11 Mbit/s	Wireless 802.11b
44.736 Mbit/s	T3/DS3
54 Mbit/s	Wireless 802.11g
100 Mbit/s	Fast Ethernet
155 Mbit/s	OC3
600 Mbit/s	Wireless 802.11n
622 Mbit/s	OC12
1 Gbit/s	Gigabit Ethernet
2.5 Gbit/s	OC48
9.6 Gbit/s	OC192
10 Gbit/s	10 Gigabit Ethernet
100 Gbit/s	100 Gigabit Ethernet




# Client/Server

- The client arrives and **requests** a service at any given point in time
- The server is dedicated to the service and **responds** to the client


## Problems

- Hot spot-uneven workload
- Bottleneck: bandwidth, CPU, ...
- Single point of failure
- Scalability
- ~~Maintenance~~



# Replication


## ○ Server Replication



## Problems


- Hot spot-uneven workload
- Bottleneck: bandwidth, CPU, ...
- ~~Single point of failure~~
- ~~Scalability~~
- Maintenance

# Proxy, CDN



## Problems

- ~~Hot spot uneven workload~~
- Bottleneck: bandwidth, CPU, ...
- ~~Single point of failure~~
- ~~Scalability~~
- Maintenance



# P2P: Advantages

- Changes the way of **network bandwidth use**
- Easy to deploy, easy to use
- Dynamic for joining and leaving
- Distributed resource sharing
  - Files, data, storage, computation, ...
  - Provide something useful and free
  - Anyone can contribute
- Fault tolerant
- Service ability: large scale
- Service of quality: the more users, the better

# P2P: How?

# P2P Applications and Systems

- File sharing
  - Napster, Gnutella, BitTorrent
- Multimedia streaming
  - P2P TV: PeerCast, PPLive, PPStream, TVU, Zattoo, ....
  - P2P based VOD systems
- Communication
  - Skype, MSN, ...
- Computation
  - SETI@home: Search for Extra-Terrestrial Intelligence
    - In late 2009: 700 TeraFLOPS computational power (250k active users on average)

# Current State of P2P

- P2P applications are popular over the world
- P2P networks are mainly used for resource sharing
  - Music, videos, software, ...
  - Some are illegal copyrighted materials
- New emerging applications
  - Online media streaming, P2P TV
  - P2P telephone system
  - Software installation and update
  - Decentralized social network applications


# Typical Research Topics

- Structure
  - How to search for information
    - Unstructured P2P
    - Structured P2P
- Security and privacy
  - How to protect system security and user privacy?
- Legal issues



# Search in P2P Networks

- How to locate resources in P2P networks?



# Information Retrieval System

- Keyword-based against a central server







Google Search

I'm Feeling Lucky

Google.de offered in: [Deutsch](#)

# Search in P2P Networks?

- Unstructured P2P
  - Highly flexible, dynamic, easy to maintain
  - Hard to find information
- Structured P2P
  - Hard to maintain its structure
  - Easy to find information



# Unstructured P2P Networks

# Unstructured P2P Networks


- Example: BitTorrent
- Successor of Napster, Gnutella, ...
  - Napster: Pioneer P2P, shut down in 2001
    - easy to manage and search, but relied on central lookup server (drawbacks?)
    - data transfer directly between peers
  - Gnutella: Answer to Napster weaknesses
    - fully distributed P2P network based on overlay network, no central server
    - Search: flooding the network with request (drawbacks?)

# BitTorrent

- A popular approach to sharing large files
  - Origin of 37% of German internet traffic in 2009
- Originally used for distributing legal content
  - Linux distributions, software updates
  - Official movies
- Goal:
  - Quickly and reliably replicate one file to a large number of clients
- Call it “P2P content distribution”


# Basic Idea

- Chunking:
  - Files split into smaller pieces or chunks
  - Chunks can be downloaded in parallel
  - Downloading order does not matter
- Swarming
  - Clients join a crowd of peers uploading and downloading the same content
  - Nodes request chunks from neighbors and download content in parallel
- Use a web server to publish content
- Use a central unit to locate resource



# Basic Idea

BitTorrent tracker identifies the swarm and helps the client software trade pieces of the file you want with other computers.




Computer with BitTorrent client software receives and sends multiple pieces of the file simultaneously.

©2005 HowStuffWorks



# Basic Components

- Web server: for content publication
- **Tracker**: a special central server for running the content distribution system
  - Tracking active peers
  - Mapping from file name to peers
- Peer
  - **Seed**: a peer with a complete copy of the file
  - Leecher: peer still downloading the file
- **“.torrent” file**: metadata and description of the file
  - The number of chunks
  - The tracker’s IP



# Operation



## ○ Sharing a file:

- (1) Seed generates a “.torrent” file from the file
- (2) Upload the “.torrent” file to some public web server or sending it to friends by email

## ○ Searching a file:

- No dedicate search component
- User can search “.torrent” file from web server

## ○ Downloading a file:

- (1) Download the “.torrent” file
- (2) Connect to the tracker to locate the file
- (3) Choose some fast peers to download chunks in parallel

# Tit-for-Tat Policy and Chunk Selection

- Tit-for-Tat policy
  - The more you give, the more you get
  - A peer serves peers that serve it
  - Encourages cooperation, discourage free-riding
- Chunk selection
  - Peers uses **rarest first** policy when downloading chunks
  - Having a rare chunk makes peer attractive to others
  - The goal is to maximize availability of each chunk




# BitTorrent : Pros and Cons

- Strengths
  - Works well for “hot content”, very fast and resilient
  - Proficient in utilizing partially downloaded files
  - Discourages “free-riding”
  - Efficient for distributing large files to a large number of clients
- Weaknesses
  - Assumes all interested peers active at same time
  - Tracker could be single point of failure
  - Lack of search feature

# Structured P2P Networks

# Structured P2P Networks

- Routing & Lookup
- DHTs



- The following slides are based on a lecture by Prof. Roscoe, ETH Zürich, and provided with his kind permission

# Problem Space

- Challenge: spread lookup database among P2P participants
- Goals:
  - **Scalable** – operates with millions of nodes
  - **Self-organized** – no central, external control
  - **Load-distributing** – every member should contribute (at least ideally)
  - **Fault tolerant** – robust against node leaves or failures
  - **Robustness** – resilience against malicious activity

# Idea

- Distributed Hash Tables
  - Hash content identifiers to machines
  - Hash IP addresses
  - Store content (or content locator) at machine with closest hash value
- Originally 4 papers submitted to SIGCOMM 2001:
  - CAN, Chord, Pastry, Tapestry
- Widely used in practice (e.g., BitTorrent uses Kademlia DHT)



# Background: Hash Functions

- Hash function maps arbitrary input sequence to fixed length output:
  - $H(m) = x$ ,  $x$  of fixed length
- Crypto-Hashes:
  - Small input changes result in large output changes (Avalanche criterium)
  - If  $H(m_1) = x$  is known, it is hard to find another  $m_2$  giving  $H(m_2) = x$  (collision resistant)
- Inherently hash functions span whole  $2^k$  space ( $k$  bits hash length)

# MD5 / SHA-1

- Message Digest Algorithm 5
  - 128 bit hash values
  - Weak collisions found
- SHA-1 (similar to MD4)
  - 160 bit hash values
  - Stronger than MD5, but „under researcher’s attack“: find collisions in  $2^{69}$
- But: Both algorithms efficiently map input homogeniously to  $2^k$  space

# DHTs


- Index data by hash value
- Assign each node in the network a portion of the hash address space
- DHT provides the lookup function

# Example: Chord

- Published 2001 at SIGCOMM by Stoica et al. „Chord: A Scalable Peer-to-peer Lookup Service for Internet Applications”
- Keys are SHA-1 hashes – 160 bit identifiers
- **Key**: Identifier of a data item
- **Value**: Identifier of a node
- Host (**key,value**) pair at node with ID larger or equal to key – **successor(key)**

# Identifier Space

- Identifier in  $2^4$  space
  - Space from 0..15
  - Nodes pick IDs:
    - 2,5,6,11,14 covered by nodes
    - Remaining values are not directly covered by a node




# Successor

- First node in clockwise direction with ID larger or equal the key

- Examples:


- $\text{succ}(6) = 6$
- $\text{succ}(12) = 14$
- $\text{succ}(15) = 2$



# How to store and locate data?


- Each (key,value) pair is assigned the identifier  $H(\text{key})$
- Each item is stored at its  $\text{succ}(H(\text{key}))$

Drink	Location	$H(\text{Drink})$
Beer	Göttingen	12
Wine	France	2
Whisky	Scotland	9
Wodka	Russia	14



# Successor Pointer

- Each node points to its successor
  - Known as node's succ pointer
- Example:
  - 0's succ = 2
  - 2's succ = 5
  - ...






# Basic Lookup of Data


- Lookup **key**:
  - Calculate  $H(\text{key})$
  - Follow succ pointers until **key** is found
  - Lookup time:  $O(n)$

- Example:
  - „Where can I drink Whisky?“
  - Calculate  $H(\text{Whisky}) = 9$
  - Traverse nodes:
    - 2,5,6,11
  - Return „Scotland“




# Scalable Lookup

- Each node maintains finger table (max k entries)
- for  $i$  in  $0..k-1$ :  $\text{finger}[i] = \text{succ}(n+2^{i-1})$ 
  - Point to  $\text{succ}(n+1)$
  - Point to  $\text{succ}(n+2)$
  - Point to  $\text{succ}(n+4)$
  - ...
  - Point to  $\text{succ}(n+2^{i-1})$
- Makes lookup time logarithmic!
  - $O(\log n)$




# Routing

- Determines the next hop
- Each node  $n$  knows  $\text{succ}(n+2^{i-1})$  for all  $i=1..k$
- Forward queries for key to then highest predecessor of key
- Routing entries =  $\log_2(n)$




# Routing cont'd

- Routing table size 1
- Node 9 was the highest 1 could reach
- Node 9 is querying again, finger to 13 is best



# Routing cont'd

- 13 is handled by 14
- 14 completes the route:
  - 15 is found at 0



# Routing cont'd

- From node 1, 3 hops to node 0 where item 15 is stored
- $k=4$  equals an ID space of 16, therefore the maximum number of hops is:
  - $\text{Log}_2(16) = 4$
- Average complexity is  $\frac{1}{2} \log(n)$

# Routing cont'd

- Such routing algorithms solve the lookup problem
- General concept:
  - Each node has only a limited view on the network
  - A node that receives a message containing a destination ID that is not managed by that node, it just forwards the request to the closest hop
- Here, algorithm is based on **numeric closeness**
- In Gummadi et al., „*The Impact of DHT Routing Geometry on Resilience and Proximity*“, SIGCOMM 2003, implications are discussed

# Recursive vs. Iterative Lookup

- Recursive: Each node forwards the request (as shown) to the next hop
  - Fast, efficient
  - Each node can optimize forwarding
- Iterative: The requesting client queries the next hop iteratively from the nodes
  - Allows the lookup client to keep in control
  - Lookup client detects and localizes failures



# Achieved goals


- The DHT is **scalable**, as operations are performed in  $\log(n)$
- It is **self-organized** as each node directly knows its position (thanks to the hash function) and learns about the next hops
- On average **load-distributing**
- What about joins and especially leaves?

# Node Join and Leave

- Node join:
  1. Bootstrap: a new node contacts a known node in the DHT
  2. The new node gets a portion of the address space
  3. Routing information is updated
  4. The new node retrieves all tuples for which it is responsible
- Node departure:
  - Replication and load balancing
- Node failure:
  - Reactive or proactive recovery
  - Maintenance, load balancing, redistribution of tuples
  - Data is lost if not replicated!


# Node Join and Leave

- Join:
  - Lookup of own ID's successor
  - Contact that to get successors and predecessor
- Leaves:
  - Ping successors regularly
  - Always ensure x live nodes in successor set
- Thereby, failures are treated as „normal“




# Node Join Example

- Assume node 9 joins




# Node Join Example cont'd

- The new node takes over the docs in its “responsibility” range
- Docs 9,8 from its successor




# Node Leave

- Assume node 12 leaves gracefully



# Node Leave cont'd

- Data is transferred to  $\text{succ}(12) = 14$
- Node 12 informs predecessor and successor, who update their finger tables




# Direct vs. Indirect Storage

- Direct storage:
  - Actual data is stored at the node responsible for it
  - The data is copied towards the responsible node upon node join
  - The node that contributed the data can leave without loss of its data
  - But: High storage and communication overhead!
- Indirect storage:
  - Instead of data, the references to the data are stored
  - The inserting node keeps the data
  - Lower load on the DHT




# The Fragile Ring

- Problem: Everything is organized in a fragile ring structure
  - Failure of a node breaks the ring and data is lost
  - No way to recover as previous predecessor and successor don't know about each other!



# Successor Sets

- As a solution, each node keeps:
  - A Successor set with pointers to the  $r$  closest successors
  - Predecessor pointer
- If successor fails, replace with closest alive successor
- If predecessor fails, set pointer to nil
- Replicate objects throughout the successor set



# Further Challenges



- How does a node learn its:
  - Predecessors?
  - Fingers?
- What if “better” fingers come along later?
  - How would a node find out?
- How does a node react to failing or leaving fingers?
- All basically the same problem

# Periodic Stabilization

- Used to make pointers eventually correct
- Requires an additional predecessor pointer
  - First node met in anti-clockwise direction starting at  $n-1$
- A node  $n$  joins the DHT through a node  $o$ :
  - Find  $n$ 's successor by  $\text{lookup}(n)$
  - $n$  sets its successor to the found successor
  - Stabilization fixes the rest
    - `stabilize()` function is run periodically by each node
  - The new node does not determine its predecessor: its predecessor detects and fixes inconsistencies


# Periodic Stabilization Example

1. 9 joins through node 0
2. 9 sets its predecessor to nil
3. 9 asks 0 for succ(9). Receives "12"
4. 9 sets its succ to 12




# Periodic Stabilization Example

- 9 runs `stabilize()`
  1. 9 asks 12 for its predecessor
  2. 12 replies with “7”
  3. 9 notifies 12 that 9 is now its predecessor




# Periodic Stabilization Example

- 7 runs `stabilize()`
  1. 7 discovers from 12 that `pred(12)` is now 9
  2. 7 sets successor to 9
  3. 7 notifies 9
  4. 9 sets `pred(9)` to 7



# Chord in a “Tree View”

- Finger tables are Chord’s core
  - Providing  $O(\log n)$  hop routing by at least halving the distance to the target by each hop
  - Forest of binomial trees rooted at each key





# Chord - Conclusion

- Lookup time:  $O(\log n)$
- Drawbacks:
  - Rigidity
    - Complicates recovery from failed nodes and routing table
    - Precludes proximity-based routing
  - Unidirectional routing
  - Incoming traffic is not used to re-enforce routing tables
- **Fault-tolerant**, but not very robust.

# Other DHTs

- Kademlia (used in BitTorrent)
  - Lookup also done in  $O(\log n)$  – as with most DHTs
  - Uses distance between two nodes: XOR of both nodes' IDs
  - Nodes still responsible for a part of ID space
  - Location of content basically the same as in Chord
    - Node closest to searched ID
    - $O(\log n)$  since XOR can halve distance at each hop
    - Note: This distance is **not** geographical
- For details: Maymounkov and Mazières, Kademlia: “A Peer-to-peer Information System Based on the XOR metric”, 2002

# References

- [1] Stephanos Androutsellis-Theotokis and Diomidis Spinellis. A survey of peer-to-peer content distribution technologies. ACM Comput. Surv. 36(4), 335-371. 2004.
- [2] Hari Balakrishnan, M. Frans Kaashoek, David Karger, Robert Morris, and Ion Stoica. Looking up data in p2p systems. Comm. ACM 46,2(Feb.), 43–48. 2003.
- [4] Pouwelse, Johan; et al. "The Bittorrent P2P File-Sharing System: Measurements and Analysis". Peer-to-Peer Systems IV. Berlin: Springer. pp. 205–216. 2005.
- [5] Erik Nygren, Ramesh K. Sitaraman, and Jennifer Sun, The Akamai Network: A Platform for High-Performance Internet Applications, ACM SIGOPS Operating Systems Review, Vol. 44, No.3, July 2010.