


Computer Networks

February 2nd, 2012

Announcements

- Final exam: Thursday 09.02.2012
 - 10:00 -12:00 : GZG - MN08
- Language: English + German, answers possible in both languages
- No additional resources (calculator etc.) allowed. Just bring pens ;).

Secure E-Mail



Alice:

- generates random *symmetric* private key, K_S .
- encrypts message with K_S (for efficiency)
- also encrypts K_S with Bob's public key.
- sends both $K_S(m)$ and $K_B^+(K_S)$ to Bob.

Bob: uses his private key to decrypt and recover K_S

- uses K_S to decrypt $K_S(m)$ to recover m

Why symmetric keys?

- Why is a symmetric key used in most protocols to encrypt a data payload (the message etc.), even if a public/private key infrastructure exists?
- Public/Private keying more costly
- Minimal use of public/private key minimizes the key exposure
 - Symmetric key can be generated each time on the fly and is therefore always fresh
 - Public/Private key is always the same. Encrypting large amounts of data could compromise the key... (although no efficient algorithm is known yet)

PGP E-Mail signature

```
---BEGIN PGP SIGNED MESSAGE---
```

```
Hash: SHA1
```

```
Bob: My husband is out of town  
tonight.Passionately yours,  
Alice
```

```
---BEGIN PGP SIGNATURE---
```

```
Version: PGP 5.0
```

```
Charset: noconv
```

```
yhHJRHhGJGhgg/12EpJ+1o8gE4vB3mqJ
```

```
hFEvZP9t6n7G6m5Gw2
```

```
---END PGP SIGNATURE---
```

Used crypto hash


Message m that is hashed
with SHA1

Real signature: This is
the hash of the
message ($H(m)$)
encrypted with Alice's
private key.

Verification: Bob decrypts the PGP signature and obtains $H(m)$.
Additionally he computes $H(m)$ for the message himself and computes
it with the $H(m)$ Alice computed.

SSL


- What are the three main phases of SSL?
 - 1. Handshake (TCP connection, authentication + master secret generation)
 - 2. Key derivation
 - 3. Data transfer
- On what layer does SSL reside and why is that advantageous?
 - provides transport layer security to any TCP-based application using SSL services.



TCP enhanced with SSL

SSL

- What are the three main phases of SSL?
 - 1. Handshake (TCP connection, authentication + master secret generation)
 - 2. Key derivation
 - 3. Data transfer
- On what layer does SSL reside and why is that advantageous?
 - provides transport layer security to any TCP-based application using SSL services.



TCP enhanced with SSL

IPsec


- Please sketch one typical scenario, where IPsec is used today.
 - VPN gateway at company or university. E.g. 134.76.22.1 is the VPN Gateway for the GWDG
- What are the two main protocols used in IPsec and what is their primary difference with respect to security properties?
 - Authentication Header (AH): Ensures authentication and data integrity. No encryption!
 - Encapsulated Security Payload (ESP): Ensures authentication, data integrity and encryption.

802.11i

- Should ensure better protection than WEP
 - WPA is a subset of 802.11i
- Who is handling the authentication information in an 802.11i scenario?
 - Using TLS-EAP (Extensible Authentication Protocol over Transport Layer Security) to contact an AAA (Authentication, Authorization, Accounting) Server

Firewalls

- What is the purpose of a firewall and what are filter rules?
 - Isolation of own network from internet!



Filter rules

- The firewall can be configured to only let certain packets pass. An administrator might be interested in setting up rules like:
 - No telnet connections to hosts behind the FW
 - Prevent outside machines to connect to inside machines, but still inside machines can connect to outsiders
 - Prevent web radios
 - Many more...

Thank you

Any questions?